

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/044,213	11/20/2001	Vincent E. Parla	CIS01-06(4183)	7385
Barry W. Chap	7590 06/05/2007 in. Esq.		EXAM	INER
CHAPIN & HUANG, L.L.C.			· ANYA, CHARLES E	
Westborough C 1700 West Parl	· · · · · · · · · · · · · · · · · · ·		ART UNIT	PAPER NUMBER
Westborough, MA 01581			2194	
·			The state of the s	
			MAIL DATE	DELIVERY MODE
			06/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

·	Application No.	Applicant(s)	
Office Action Summan	10/044,213	PARLA ET AL.	
Office Action Summary	Examiner	Art Unit	
	Charles E. Anya	2194	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period was precised by the office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on <u>06 M</u> .  2a) This action is <b>FINAL</b> . 2b) This  3) Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 1.2.4-20.22-40 and 42-44 is/are pendidated and of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1.2.4-20.22-40 and 42-44 is/are reject 7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the correct of the contract	epted or b) objected to by the I drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau	s have been received. s have been received in Applicati tity documents have been receive	on No	
* See the attached detailed Office action for a list	of the certified copies not receive	id /	
Attachment(s)	WILLIAM TH SUPERVISORY PATE TECHNOLOGY CE	OMSON NT EXAMINER ENTER 2100	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate	

Application/Control Number: 10/044,213

Art Unit: 2194

Page 2

## **DETAILED ACTION**

1. Claims 1,2,4-20,22-40 and 42-44 are pending in this application.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1,2,4-13,19,20,22-31,37-39,43 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,167,448 to Hemphill et al. in view of U.S. Pat. No. 6,594,786 B1 to Connelly et al.
- 4. As to claim 1, Hemphill teaches an event processing server, a method for processing events comprising the steps of: receiving an event message ("...ENM..." Col. 2 Ln. 10 17); the event message contains event registration information including product version currently supported (ENM 207/EAS Files 210 "...DEVICENAME...", Col. 10 Ln. 23 67, Col. 12 Ln. 31 67) and a definition of a set of classes for said product, said definition of a set of classes includes, for each class, a name (DEVICENAME), a unique identifier (DEVICEID), a description of the class, and definitions of dynamic variables for each class, said dynamic variables including properties and alarm attributes (ENM 207/EAS Files 210 "...DEVICEID...DEVICENAME EVENTURL..." Col.

10 Ln. 23 - 67, Col. 11 Ln. 1 - 67); identifying event information required to process event data based on the event message ("...locate a file..." Col. 2 Ln. 20 - 23, Col. 2 Ln. 43 - 48, Col. 8 Ln. 27 - 45).

Hemphill is silent with reference to determining if existing event information is accessible to process the event data and if the existing event information is not accessible: (i) providing an event rejection indicating missing event information; and (ii) receiving the missing event information identified in the event rejection.

Connelly teaches determining if existing event information is accessible to process the event data and if the existing event information is not accessible; (i) providing an event rejection indicating missing event information (Col. 16 Ln. 57 - 67); and (ii) receiving the missing event information identified in the event rejection ("...Step 188..." Col.17 Ln. 10 - 16).

It would have been obvious to one of ordinary skill in the art at time the invention was made to modify the system of Hemphill with the teaching of Connelly because the teaching of Connelly would improve the system of Hemphill by providing an agent-server recovery protocol for notifying a monitored system by a monitoring server (HA server) to correct an error event received therefrom (Connelly Col. 16 Ln. 57 - 63).

5. As to claim 2, Hemphill teaches the method of claim 1 further comprising the steps of: selecting the event information based on the event data received', and generating an event output from the selected event information (Col. 2 Ln. 43 - 48).

- 6. As to claim 4, Hemphill teaches the method of claim 1 wherein the event message includes at least one unique identifier identifying the source of the event data ("...DEVICEID..." Col. 9 Ln. 32 50, Col. 10 Ln. 38 52).
- 7. As to claim 5, Hemphill teaches the method of claim 4 wherein the step of identifying event information required to process event data identifies the event information required based on the source of the event data (Col. 8 Ln. 43 45).
- 8. As to claim 6, Hemphill teaches the method of claim 1 wherein the event message includes at least one unique identifier identifying event information required to process the event data ("...locate a file..." Col. 2 Ln. 20 23, Col. 2 Ln. 43 48, Col. 8 Ln. 27 45).
- 9. As to claim 7, Connelly teaches the method of claim 1 wherein the steps of receiving comprise a step of accepting at least one of event registration information, event data and event information mark-up language documents (Step 188 Col. 17 Ln. 14 16).
- 10. As to claim 8, Hemphill teaches the method of claim 1 wherein the event data includes network management data indicating a network management event associated with a source of the event data and wherein the step of receiving event data utilizes a hypertext transport protocol to receive the event data (Col. 10 Ln. 22 62).

- 11. As to claim 9, Connelly teaches the method of claim 1 wherein in the step of determining, if the existing event information is accessible, the method further comprises the steps of: (i) providing an event data destination; and (ii) receiving the event data via the event data destination (Step 190 Col. 17 Ln. 10 19, figure 8B Col. 18 Ln. 3 14).
- 12. As to claim 10, Connelly teaches the method of claim 9 wherein the steps of receiving comprise the steps of: reading first and second event data; processing the first and second event data to produce event output data that reflects a hierarchical event relationship between the first and second event data ("...out-of-sequence..." figure 7E Col. 17 Ln. 10 19, figure 8 Col. 18 Ln. 3 14).
- 13. As to claim 11, Connelly teaches the method of claim 1 further comprising the step of creating system component status records and wherein the step of receiving the event data further includes the step of: updating a status of the system component status record based on the event data received ("...status change..." Col. 9 Ln. 65 67, Col. 10 Ln. 1 9).
- 14. As to claim 12, Hemphill the method of claim 1 wherein the event message contains event data (ENM 207 Col. 10 Ln. 22 62).

Application/Control Number: 10/044,213

Art Unit: 2194

15. As to claims 13 and 31, see the rejection of claim 1 above.

16. As to claim 19, Hemphill teaches an event processing server for processing event messages comprising: a memory; a communications interface; a processor; and an interconnection mechanism coupling the memory, the processor and the communications interface (Server I/F 221 Col. 8 Ln. 1 - 14), wherein the processor is configured to: receive an event message (Event Processor Logic 222 (ENM 207) Col. 8 Ln. 15 - 26), the event message contains event registration information including product version currently supported (ENM 207/EAS Files 210 "... DEVICENAME...", Col. 10 Ln. 23 - 67, Col. 12 Ln. 31 - 67) and a definition of a set of classes for said product, said definition of a set of classes includes, for each class, a name (DEVICENAME), a unique identifier (DEVICEID), a description of the class, and definitions of dynamic variables for each class, said dynamic variables including properties and alarm attributes (ENM 207/EAS Files 210 "... DEVICEID... DEVICENAME EVENTURL..." Col. 10 Ln. 23 - 67, Col. 11 Ln. 1 - 67), identify event information required to process event data based on the event message ("...location pointer..." Col. 8 Ln. 27 - 45).

Page 6

Hemphill is silent with reference to determining if existing event information is accessible to process the event data and if the existing event information is not accessible; (i) provide an event rejection indicating missing event information; and (ii) receive the missing event information identified in the event rejection.

Connelly teaches determining if existing event information is accessible to process the event data and if the existing event information is not accessible: (i)

providing an event rejection indicating missing event information (Col. 16 Ln. 57 - 67); and (ii) receiving the missing event information identified in the event rejection "...Step 88..." Col.17 Ln. 10 - 16).

It would have been obvious to one of ordinary skill in the ad at time the invention was made to modify the system of Hemphill with the teaching of Connelly because the teaching of Connelly would improve the system of Hemphill by agent-server recovery protocol for notifying a monitored system by a monitoring server (HA server) to correct an error event received therefrom (Connelly Col. 16 Ln. 57 - 63).

- 17. As to claims 20 and 22 30, see the rejection of claims 2 and 4 12 respectively.
- 18. As to claims 37 and 38, see the rejection of claims 1 and 19 respectively.
- 19. As to claim 39, Hemphill teaches the method of claim 1, wherein said event registration information includes information that identifies a source of forthcoming event data as well as event information that the event processing server will require in order to be able to correctly process the forthcoming event data (EAS Files 210 Col. 10 Ln. 63 67, Col. 11 Ln. 1 67, Col. 12 Ln. 1 67).
- 20. As to claim 43, Hemphill teaches to the method of claim 1, further comprising maintaining a time history of a series of events related to an alarm attribute ("...EVENTTIME..." Col. 10 Ln. 27 52).

- 21. As to claim 44, see the rejection of claim 43 above.
- 22. Claims 14-16 and 32-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,779,004 B1 to Zintel in view of U.S. Pat. No. 6,167,448 to Hemphill et al.
- 23. As to claim 14, Zintel teaches in an event generation client, a method for processing events comprising: sending event registration information including identifying event information required to process event data (RegisterupnpEventsource() Col. 32 Ln. 10 38, Col. 33 Ln. 50 67); detecting an event (SumbitupnppropertyEvent() Col. 33 Ln. 1 42); in response to detecting an event, creating event data (Col. 33 Ln. 24 25, Col. 34 Ln. 1 8); and sending the event data to an event processing server ("...subscribers..." Col. 33 Ln. 1 28, HUP Server 626 Col. 34 Ln. 15 25).

Zintel is silent with reference to event registration information further including product versions currently supported, a definition of a set of classes for said product and said definition of a set of classes includes, for each class, a name, a unique identifier, a description of the class, and definitions of dynamic variables for each class, said dynamic variables including properties and alarm attributes.

Hemphill teaches the event message contains event registration information including product version currently supported (ENM 207/EAS Files 210

Page 9

Art Unit: 2194

"...DEVICENAME...", Col. 10 Ln. 23 – 67, Col. 12 Ln. 31 – 67) and a definition of a set of classes for said product, said definition of a set of classes includes, for each class, a name (DEVICENAME), a unique identifier (DEVICEID), a description of the class, and definitions of dynamic variables for each class, said dynamic variables including properties and alarm attributes (ENM 207/EAS Files 210 "...DEVICEID...DEVICENAME EVENTURL..." Col. 10 Ln. 23 - 67, Col. 11 Ln. 1 - 67).

It would have been obvious to one of ordinary skill in the art at time the invention was made to modify the system of Zintel with the teaching of Hemphill because the teaching of Hemphill would improve the system of Zintel by providing a flexible scheme for encoding management information in response to a management event (Hemphill Col. 1 Ln. 50 - 52, Col. 2 Ln. 36 - 37).

- 24. As to claim 15, Zintel teaches the method of claim 14 wherein the step of creating event data includes formatting the event data in a mark-up language format capable of transmission via a hyper-text transport protocol (Col. 29 Ln. 11 16, "...XML body..." Col. 33 Ln. 24 25).
- 25. As to claim 16, Zintel teaches the method of claim 14 wherein the step of sending event registration information, further comprises the step of: initiating a multiple of status checks of sources to produce status check information; and forwarding status check information in the event data to the event processing server ("...alive..." Col. 39 Ln 9 11).

26. As to claims 32 - 34, see the rejection of claims 14 - 16 respectively.

- 27. Claims 17 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,779,0.04 B1 to Zintel in view of U.S. Pat. No. 6,167,448 to Hemphill et al. as applied to claims 14 or 32 above, and further in view of U.S. Pat. No. 6,526,442 B1 to Stupek Jr. et al.
- As to claim 17, Hemphill and Zintel are silent with reference to the method of claim 14 wherein the step of sending the event data further comprises the step of: periodically sending event data to the event processing server as confirmation of an operating communications channel.

Stupek teaches the method of claim 14 wherein the step of sending further comprises the step of: periodically sending event data to the event processing server as confirmation of an operating communications channel (Col. 2 Ln. 54 - 67).

It would have obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Hemphill and Zintel with the teaching of Stupek because the teaching of Stupek would improve the system of Hemphill and Zintel by providing plurality of notices indicative of the state of network to a management engine (Stupek Col. 2 Ln. 54 - 67).

29. As to claim 35, see the rejection of claim 17 above.

Application/Control Number: 10/044,213

Art Unit: 2194

30. Claims 18 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,779,0.04 B1 to Zintel in view of U.S. Pat. No. 6,594,786 B1 to Connelly et al., and further in view of U.S. Pat. No. 6,167,448 to Hemphill et al. as applied to claims 14 or 32 above, and further in view of U.S. Pat. No. 6,594,786 B1 to Connelly et al.

Page 11

31. As to claim 18, Zintel and Hemphill are silent with reference to the method of claim 14, further including the steps of: receiving an event rejection indicating missing event information from an event process server; obtaining the missing information; and sending the missing evening information to the event processing server.

Connnelly teaches the method of claim 14, further including the steps of: receiving an event rejection indicating missing event information from an event process server; obtaining the missing information; and sending the missing evening information to the event processing server ("...Step 188..." Col.17 Ln. 10 - 16).

It would have been obvious to one of ordinary skill in the art at time the invention was made to modify the system of Hemphill and Zintel with the teaching of Connelly because the teaching of Connelly would improve the system of Hemphill and Zintel by providing an agent-server recovery protocol for notifying a monitored system by a monitoring server (HA server) to correct an error event received therefrom (Connelly Col. 16 Ln. 57 - 63).

32. As to claim 36, see the rejection of claim 18 above.

Claims 45 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,167,448 to Hemphill et al. in view of U.S. Pat. No. 6,594,786 B1 to Connelly et al. as applied to claims 43 or 44 above, and further in view of U.S. Pub. No. 2004/0205689 A1 to Ellens et al.

34. As to claim 45, Connelly and Hemphill are with reference to the method of claim 43 further comprising tracking how often the attribute is down and how often the attribute is up based on said time history of a series of events related to an alarm attribute.

Ellens teaches the method of claim 43 further comprising tracking how often the attribute is down and how often the attribute is up based on said time history of a series of events related to an alarm attribute ("...frequency of the fault..." page 5 paragraphs 0068-0071).

It would have obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Connelly and Hemphill with the teaching of Ellens because the teaching of Ellens would improve the system of Connelly and Hemphill by allowing for a process of disabling application server for a period of time when the fault events are received at an excessive rate (Ellens page 3 paragraph 0044).

35. As to claim 46, see the rejection of claim 45 above.

## Response to Arguments

Applicant's arguments filed 9/25/06 have been fully considered but they are not persuasive.

Applicant argues in substance that (1) the Hemphill prior art does not teach a registration information including product versions currently supported and definition of a set of classes for the product, more especially since the Examiner the had agreed in a prior office action that the Hemphill prior art does not teach the above limitation and (2) the Hemphill prior art does not teach maintaining a time history of a series of events related to an alarm attribute.

As to point (1), the Examiner had in an earlier office action indicated that the Hemphill prior art is silent with reference to a registration information including product versions currently supported and definition of a set of classes for the product, however, after careful review of the disclose and the Hemphill prior art the Examiner thinks otherwise, hence the non final rejection of 12/13/06. The Examiner does not consider XML a device as the Applicant seems to suggest but the XML referred to in the rejection is an XML template that describes an event and device to be monitored.

The ENM 207 message of the Hemphill prior art represents the event message of the instant invention as claimed. The ENM 207 as the event message is an XML template that includes the description of the product/device to be monitored or is been registered and the description include the source of the ENM 207 message, the device name, the device identifier, the event code, the event time etc.

Page 14

Art Unit: 2194

As to point (2), the ENM 207 message as indicated above includes the time of event (column 9 lines 51 – 52, column 10 lines 49 – 52) and is sent from a managed device 202 to a management server 220. The Event Processor Logic 222 of Management Server 220 receives the ENM 207 message and stores the various elements of the ENM 207 message including the time of event element (column 13 lines 39 – 42). If the Management Server 220 via the Event Processor Logic 22 would store the ENM 207 message including the time of event each time the ENM 207 message is received as the Hemphill prior art unarguably discloses why would one not logical conclude that the Management Server 220 maintains a time history of events.

## Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Anya whose telephone number is (571) 272-

3757. The examiner can normally be reached on M-F (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Thomson can be reached on (571) 272-3718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles E Anya Examiner Art Unit 2194 Page 15

cea.

WILLIAM THOMSON WILLIAM THOMSON SUPERVISORY PATENT EXAMINER SUPERVISORY CENTER 2100